



2025 CATALOGUE

Infectious Immunology

Diagnostic Solutions for
Human Infectious Diseases

vircell 
MICROBIOLOGISTS



INFECTIOUS IMMUNOLOGY

| | |
|----|---|
| 1 | Vircell, company profile |
| 4 | VirClia® Fully automated indirect chemiluminescent immunoassays (CLIA) in monotest format for the diagnosis of infectious diseases. |
| 9 | ELISA Enzyme-linked immunosorbent assays for detecting antibodies against infectious diseases in human serum/plasma samples. |
| 12 | IFA Indirect immunofluorescence assays to detect antibodies against viruses, bacteria, parasites and fungi. |
| 13 | DFA Direct fluorescence assays for antigen detection in cell culture and clinical samples. |
| 14 | Agglutination The complete solution for the diagnosis of human brucellosis: Brullacapt® and Rose Bengal. |
| 14 | VIRapid® Immunochromatographic tests for antigen and antibody detection against infectious diseases. High value-added products in multitest format. |
| 15 | Transport Medium Collection and transport system for viruses, chlamydia and mycoplasma. |
| 16 | Cell Lines Accessible cell culture for human clinical virology. Ready-to-use and bulk presentations. |
| 17 | Terms and Conditions |

Commitment to Quality and the Environment

Quality in our sector means responsibility: **Vircell** pursues excellence in quality at every stage of production, from research and development to customer support.

Accreditation to international standards ensures confidence in the quality and consistency of the products and services provided by **Vircell**, and demonstrates compliance to internationally agreed standards.

Additionally, **Vircell** participates in several External Quality Assessment (EQA) programs to ensure the reliability of our laboratory results, such as QCDM, UKNEQAS, SEIMC, LABQUALITY, INSTAND, CAP, RCPAQAP, among others.



ISO 13485

Since 2006, **Vircell** has fulfilled the requirements on design, development and manufacturing of *in vitro* diagnostic medical devices according to ISO 13485.



ISO 9001 AENOR – IQNet

Vircell has implemented and maintains a Quality Management System which has fulfilled the requirements of the standard ISO 9001 since 1998.



ISO 14001 AENOR – IQNet

ISO 14001 is a globally recognized standard for an environmental management system.

This standard defines the requirements for controlling and improving the organization's environmental impact. This standard was first implemented by **Vircell** in 2016.



CE mark

Products included in this catalogue which bear CE marking comply with the applicable regulation of IVD in force (Regulation (EU) 2017/746 of the European Parliament and of the Council of 5 April 2017 on *in vitro* diagnostic medical devices).

Vircell, S.L.

Headquarters & Manufacturing Plant

Parque Tecnológico de la Salud
Avicena 8
18016 Granada, Spain
 +34 958 441 264
 info@vircell.com

Vircell Spain, S.L.U. Headquarters

Pol. Ind. Dos de Octubre
Plaza Domínguez Ortiz 1
18320 Santa Fe, Granada
 +34 958 181 106
 pedidos@vircell.com

Barcelona Branch Office

Pallars 99, Oficina 23
08018 Barcelona
 +34 933 099 530

Madrid Branch Office

Capitán Haya 1, Planta 16
28020 Madrid
 +34 913 457 903



Leaders in infectious diseases testing

Founded in 1991, **Vircell** is a leading developer of ready-to-use kits for the diagnosis of infectious diseases with successful operations in over 95 countries.

Vircell, highly specialized in research & development, offers complete diagnostics solutions by means of different techniques, ranging from the traditional cell culture to the most innovative developments in the field of molecular biology.

Since the very beginning, we have focused on producing the highest quality reagents alongside providing accessible technical staff to ensure prompt and personal assistance in their use.



CHEMILUMINESCENCE IN MONOTEST

- Fully automated CLIA technology: excellent sensitivity and turnaround time.
- The true monotest concept: each strip incorporates a calibrator and a negative control.
- Extensive menu: more than 90 references.
- Labour-saving: allows pipetting from primary sample tubes.
- All reagents included and ready-to-use.
- Cost-effective: no extra consumption of reagents required.



| DESCRIPTION | CAT. No. | CLASS | PACK SIZE |
|---|----------|--------------------|-----------|
| ADENOVIRUS VIRCLIA® IgG MONOTEST | VCM002 | CE | 24 tests |
| ASPERGILLUS GALACTOMANNAN Ag VIRCLIA® MONOTEST | VCM073 | CE | 24 tests |
| BARTONELLA HENSELAE VIRCLIA® IgG MONOTEST | VCM046 | CE | 24 tests |
| BARTONELLA HENSELAE VIRCLIA® IgM MONOTEST | VCM043 | CE | 24 tests |
| BORDETELLA PERTUSSIS TOXIN VIRCLIA® IgG MONOTEST (quantitative) | VCM092 | CE | 24 tests |
| BORRELIA VIRCLIA® IgG MONOTEST | VCM009 | CE | 24 tests |
| BORRELIA VIRCLIA® IgM MONOTEST | VCM010 | CE | 24 tests |
| BRUCELLA VIRCLIA® IgG MONOTEST | VCM005 | CE | 24 tests |
| BRUCELLA VIRCLIA® IgM MONOTEST | VCM007 | CE | 24 tests |
| CHAGAS VIRCLIA® IgG+IgM MONOTEST | VCM099 | CE | 24 tests |
| CHAGAS TESA VIRCLIA® IgG+IgM MONOTEST | VCM008 | CE | 24 tests |
| CHIKUNGUNYA VIRCLIA® IgG MONOTEST | VCM059 | CE | 24 tests |
| CHIKUNGUNYA VIRCLIA® IgM MONOTEST | VCM063 | CE | 24 tests |
| CHLAMYDIA TRACHOMATIS VIRCLIA® IgA MONOTEST | VCM012 | CE ₀₃₁₈ | 24 tests |
| CHLAMYDIA TRACHOMATIS VIRCLIA® IgG MONOTEST | VCM013 | CE ₀₃₁₈ | 24 tests |
| CHLAMYDIA TRACHOMATIS VIRCLIA® IgM MONOTEST | VCM015 | CE ₀₃₁₈ | 24 tests |
| CHLAMYDOPHILA PNEUMONIAE VIRCLIA® IgA MONOTEST | VCM016 | CE ₀₃₁₈ | 24 tests |
| CHLAMYDOPHILA PNEUMONIAE VIRCLIA® IgG MONOTEST | VCM017 | CE ₀₃₁₈ | 24 tests |
| CHLAMYDOPHILA PNEUMONIAE VIRCLIA® IgM MONOTEST | VCM018 | CE ₀₃₁₈ | 24 tests |
| COVID-19 VIRCLIA® IgG MONOTEST | VCM097 | CE | 24 tests |
| COVID-19 VIRCLIA® IgM+IgA MONOTEST | VCM098 | CE | 24 tests |
| COVID-19 SPIKE QUANTITATIVE VIRCLIA® IgG MONOTEST | VCM0100 | CE | 24 tests |
| COXIELLA BURNETII VIRCLIA® IgG MONOTEST | VCM019 | CE | 24 tests |
| COXIELLA BURNETII VIRCLIA® IgM MONOTEST | VCM020 | CE | 24 tests |
| CYTOMEGALOVIRUS VIRCLIA® IgG AVIDITY MONOTEST | VCM038 | CE ₀₃₁₈ | 12 tests |
| CYTOMEGALOVIRUS VIRCLIA® IgG MONOTEST (quantitative) | VCM021 | CE ₀₃₁₈ | 24 tests |
| CYTOMEGALOVIRUS VIRCLIA® IgM MONOTEST (capture) | VCM022 | CE ₀₃₁₈ | 24 tests |
| DENGUE VIRCLIA® IgG MONOTEST | VCM023 | CE | 24 tests |

| DESCRIPTION | CAT. No. | CLASS | PACK SIZE |
|--|-----------|-------------------------|-----------|
| DENGUE VIRCLIA® IgM MONOTEST (capture) | VCM024 | CE | 24 tests |
| DIPHTHERIA VIRCLIA® IgG MONOTEST (quantitative) | VCM006 | CE | 24 tests |
| EPSTEIN-BARR EA VIRCLIA® IgG MONOTEST | VCM044 | CE | 25 tests |
| EPSTEIN-BARR EBNA VIRCLIA® IgG MONOTEST | VCM026 | CE | 24 tests |
| EPSTEIN-BARR VCA VIRCLIA® IgG MONOTEST | VCM027 | CE ₀₁₂₃ IVDR | 24 tests |
| EPSTEIN-BARR VCA VIRCLIA® IgM MONOTEST | VCM028 | CE | 24 tests |
| HELICOBACTER PYLORI VIRCLIA® Ag MONOTEST | VCM103 | CE ₀₁₂₃ IVDR | 24 tests |
| HELICOBACTER PYLORI VIRCLIA® Ag MONOTEST | VCM103-PL | CE ₀₁₂₃ IVDR | 48 tests |
| HELICOBACTER PYLORI VIRCLIA® IgA MONOTEST | VCM029 | CE | 24 tests |
| HELICOBACTER PYLORI VIRCLIA® IgG MONOTEST | VCM030 | CE | 24 tests |
| HEPATITIS E VIRCLIA® IgG AVIDITY MONOTEST | VCM093 | CE ₀₁₂₃ IVDR | 12 tests |
| HEPATITIS E VIRCLIA® IgG MONOTEST (quantitative) | VCM066 | CE ₀₁₂₃ IVDR | 24 tests |
| HEPATITIS E VIRCLIA® IgM MONOTEST (capture) | VCM067 | CE ₀₁₂₃ IVDR | 24 tests |
| HERPES SIMPLEX 1 VIRCLIA® IgG MONOTEST | VCM031 | CE | 24 tests |
| HERPES SIMPLEX 1 VIRCLIA® IgM MONOTEST | VCM039 | CE | 24 tests |
| HERPES SIMPLEX 1+2 VIRCLIA® IgG MONOTEST | VCM034 | CE | 24 tests |
| HERPES SIMPLEX 1+2 VIRCLIA® IgM MONOTEST | VCM036 | CE ₀₁₂₃ IVDR | 24 tests |
| HERPES SIMPLEX 2 VIRCLIA® IgG MONOTEST | VCM037 | CE | 24 tests |
| HERPES SIMPLEX 2 VIRCLIA® IgM MONOTEST | VCM041 | CE | 24 tests |
| HHV-6 VIRCLIA® IgG MONOTEST | VCM003 | CE | 24 tests |
| HYDATIDOSIS VIRCLIA® IgG MONOTEST | VCM040 | CE | 24 tests |
| INFECTIOUS MONONUCLEOSIS HETEROPHILE VIRCLIA® IgM MONOTEST | VCM001 | CE | 24 tests |
| INFLUENZA A VIRCLIA® IgG MONOTEST | VCM042 | CE | 24 tests |
| INFLUENZA B VIRCLIA® IgG MONOTEST | VCM045 | CE | 24 tests |
| INVASIVE CANDIDIASIS (CAGTA) VIRCLIA® IgG MONOTEST | VCM094 | CE | 24 tests |
| LEGIONELLA PNEUMOPHILA SG 1 VIRCLIA® IgG MONOTEST | VCM049 | CE | 24 tests |
| LEGIONELLA PNEUMOPHILA SG 1 VIRCLIA® IgM MONOTEST | VCM050 | CE | 24 tests |
| LEGIONELLA PNEUMOPHILA SG 1-6 VIRCLIA® IgG+IgM MONOTEST | VCM052 | CE | 24 tests |
| LEISHMANIA VIRCLIA® IgG+IgM MONOTEST | VCM053 | CE | 24 tests |
| LEPTOSPIRA VIRCLIA® IgM MONOTEST | VCM014 | CE | 24 tests |
| MEASLES VIRCLIA® IgG MONOTEST | VCM054 | CE | 24 tests |
| MEASLES VIRCLIA® IgM MONOTEST | VCM057 | CE ₀₁₂₃ IVDR | 24 tests |
| MUMPS VIRCLIA® IgG MONOTEST | VCM060 | CE | 24 tests |
| MUMPS VIRCLIA® IgM MONOTEST | VCM061 | CE | 24 tests |
| MYCOPLASMA PNEUMONIAE VIRCLIA® IgG MONOTEST | VCM062 | CE | 24 tests |
| MYCOPLASMA PNEUMONIAE VIRCLIA® IgM MONOTEST | VCM064 | CE | 24 tests |
| PARAINFLUENZA 1 VIRCLIA® IgG MONOTEST | VCM065 | CE | 24 tests |

| DESCRIPTION | CAT. No. | CLASS | PACK SIZE |
|---|----------|-------------------------|-----------|
| PARAINFLUENZA 2 VIRCLIA® IgG MONOTEST | VCM068 | CE | 24 tests |
| PARAINFLUENZA 3 VIRCLIA® IgG MONOTEST | VCM071 | CE | 24 tests |
| PARVOVIRUS VIRCLIA® IgG MONOTEST | VCM075 | CE | 24 tests |
| PARVOVIRUS VIRCLIA® IgM MONOTEST (capture) | VCM076 | CE | 24 tests |
| RESPIRATORY SYNCYTIAL VIRUS VIRCLIA® IgG MONOTEST | VCM077 | CE | 24 tests |
| RICKETTSIA CONORII VIRCLIA® IgG MONOTEST | VCM080 | CE | 24 tests |
| RICKETTSIA CONORII VIRCLIA® IgM MONOTEST | VCM082 | CE | 24 tests |
| ROSS RIVER VIRUS VIRCLIA® IgG MONOTEST | VCM069 | CE | 24 tests |
| ROSS RIVER VIRUS VIRCLIA® IgM MONOTEST | VCM070 | CE | 24 tests |
| RUBELLA VIRCLIA® IgG MONOTEST (quantitative) | VCM083 | CE ₀₃₁₈ | 24 tests |
| RUBELLA VIRCLIA® IgM MONOTEST (capture) | VCM084 | CE ₀₃₁₈ | 24 tests |
| STRONGYLOIDES STERCORALIS VIRCLIA® IgG MONOTEST | VCM107 | CE ₀₁₂₃ IVDR | 24 tests |
| SYPHILIS VIRCLIA® IgG MONOTEST | VCM085 | CE | 24 tests |
| SYPHILIS VIRCLIA® IgG+IgM MONOTEST | VCM086 | CE | 24 tests |
| SYPHILIS VIRCLIA® IgM MONOTEST | VCM032 | CE | 24 tests |
| TETANUS VIRCLIA® IgG MONOTEST (quantitative) | VCM004 | CE | 24 tests |
| TICK-BORNE ENCEPHALITIS VIRCLIA® IgG MONOTEST | VCM047 | CE ₀₁₂₃ IVDR | 24 tests |
| TICK-BORNE ENCEPHALITIS VIRCLIA® IgM MONOTEST | VCM048 | CE | 24 tests |
| TOXOPLASMA VIRCLIA® IgG AVIDITY MONOTEST | VCM025 | CE ₀₃₁₈ | 12 tests |
| TOXOPLASMA VIRCLIA® IgG MONOTEST (quantitative) | VCM087 | CE ₀₃₁₈ | 24 tests |
| TOXOPLASMA VIRCLIA® IgM MONOTEST (capture) | VCM088 | CE ₀₃₁₈ | 24 tests |
| TULAREMIA VIRCLIA® IgG+IgM MONOTEST | VCM011 | CE | 24 tests |
| VARICELLA-ZOSTER VIRCLIA® IgG MONOTEST | VCM089 | CE | 24 tests |
| VARICELLA-ZOSTER VIRCLIA® IgM MONOTEST | VCM091 | CE | 24 tests |
| WEST NILE VIRUS VIRCLIA® IgG MONOTEST | VCM078 | CE | 24 tests |
| WEST NILE VIRUS VIRCLIA® IgM MONOTEST | VCM079 | CE | 24 tests |
| ZIKA VIRCLIA® IgG MONOTEST | VCM033 | CE | 24 tests |
| ZIKA VIRCLIA® IgM MONOTEST | VCM035 | CE | 24 tests |

INSTRUMENT & SOFTWARE

| DESCRIPTION | CAT. No. | CLASS |
|--------------------------------|----------|---------|
| VIRCLIA® LOTUS | VCLTS-CL | CE IVDR |
| VIRCOM COMMUNICATIONS SOFTWARE | VCOM | |

VirClia® Lotus

The revolution in infectious serology

Random access, continuous loading

VirClia® Lotus accepts any combination of samples and reagents, regardless of the instrument status. Even while running, it remains accessible for reagent and sample addition.

Total flexibility

This true monotest solution allows the laboratory to run esoteric and low-volume infectious serology tests daily, alongside the laboratory routine.

STAT function

Urgent samples can be prioritized. With VirClia® Lotus, STAT test requests are given the highest priority for processing.

Positive identification of samples & strips

VirClia® Lotus built-in scanner allows for full traceability of both samples and strips, avoiding clerical errors.

Sample primary tubes

Save hands-on-time using primary tubes (11-16 mm) directly in VirClia® Lotus, avoiding the inconvenience of transferring samples or performing external predilutions.



FEATURES

Method

Chemiluminescence immunoassay (CLIA)

Operation mode

Continuous loading, random access

Throughput

40 test in 90 min (first results in 70 min)

Urgent Samples Management

STAT function

Multiparameter

Full compatibility with all VirClia® assays

Sample loading capacity

50 Primary tubes, 50 dilution tubes and 6 bottles of diluent

Strip loading capacity

39 in loading rotor and 40 in reaction rotor

Sample tubes

Primary tube (11-16 mm diameter)

Predilution

Automatic predilution if required

Dimensions and weight

W 75 cm x D 74 cm x H 65 cm. 70 kg (max)

OTHER

| DESCRIPTION | CAT. No. | CLASS | KIT CONTENTS |
|------------------------------------|-----------|---------|---|
| DARODOR® SINALDEHYD-2000 | VMCON0021 | | 4+4 bottles x 600 ml |
| ELISA/CLIA VALIDATION SAMPLES KIT | EVVALS | | 24 vials x 0.2 ml of human serum, containing sodium azide and ProClin™ |
| VERIFICATION KIT VIRCLIA® MONOTEST | VTK | | 24 monotests |
| VIRCLIA® EXTRACTION TUBE | VCET001 | CE IVDR | 26x 3 ml predispensed tubes, 26 plunger filter, 26 sponge swabs |
| VIRCELL DYE KIT | VDK | | 1 bottle with 20 ml of 1x dye concentrate; 15 vials with 0.5 ml of 40x dye concentrate; 5 x 96-well uncoated plates; 1 x 20 ml empty bottle |
| VIRCLIA® AUXILIARY REAGENTS | VCMAR | CE IVDR | Washing solution: 4 x 50 ml (20x); Decontamination solution: 3 x 20 ml |
| VIRCLIA® AUXILIARY REAGENTS-W1 | VCMAR-W1 | CE IVDR | Washing solution: 1000 ml (20x) |
| VIRCLIA® AUXILIARY REAGENTS-DS | VCMAR-DS | CE IVDR | Decontamination solution: 6 x 20 ml |
| VIRCLIA® AUXILIARY REAGENTS-EDB | VCMAR-EDB | CE IVDR | Serum diluent: 2 x 10 ml |
| VIRCLIA® AUXILIARY REAGENTS-EDP | VCMAR-EDP | CE IVDR | Plasma diluent: 2 x 20 ml |
| VIRCLIA® AUXILIARY REAGENTS-TP | VCMAR-TP | | 25 predilution tubes |
| VIRCLIA® FRAME | VCFRAME | | 5 frames |
| VIRCLIA® LOTUS DYE KIT | VLDK | | 2 bottles with 20 ml of 1x dye concentrate; 3 vials with 1.8 ml of 4x dye concentrate; 6 x 96-well uncoated plates; 1 empty bottle |

ELISA

ENZYME-LINKED IMMUNOSORBENT ASSAYS

- Ready-to-use reagents.
- Sample predilution is not necessary.
- Colour-coded plates with individual break-apart wells.
- Semiquantitative protocols available for some parameters.
- µ-Capture technique for TORCH IgM determinations.
- G/M kits allow for customized testing of IgG and/or IgM.
- Suitable for automated ELISA systems.



| DESCRIPTION | CAT. No. | CLASS | PACK SIZE |
|---|----------|--------------------|-----------|
| ADENOVIRUS ELISA IgG/IgM | G/M1004 | CE | 96 tests |
| BRUCELLA ELISA IgG | G1003 | CE | 96 tests |
| BRUCELLA ELISA IgM | M1006 | CE | 96 tests |
| CHAGAS ELISA IgG+IgM | T1020 | CE | 96 tests |
| CHAGAS TESA ELISA IgG+IgM | T1023 | CE | 96 tests |
| CHIKUNGUNYA ELISA IgG | G1010 | CE | 96 tests |
| CHIKUNGUNYA ELISA IgM | M1010 | CE | 96 tests |
| CHLAMYDIA TRACHOMATIS ELISA IgA | A1017 | CE ₀₃₁₈ | 96 tests |
| CHLAMYDIA TRACHOMATIS ELISA IgG/IgM | G/M1017 | CE ₀₃₁₈ | 96 tests |
| CHLAMYDOPHILA PNEUMONIAE ELISA IgA | A1007 | CE ₀₃₁₈ | 96 tests |
| CHLAMYDOPHILA PNEUMONIAE ELISA IgG (includes calibrators) | G1007 | CE ₀₃₁₈ | 96 tests |
| CHLAMYDOPHILA PNEUMONIAE ELISA IgM | M1007 | CE ₀₃₁₈ | 96 tests |
| COXIELLA BURNETII ELISA IgG | G1001 | CE | 96 tests |
| COXIELLA BURNETII ELISA IgM | M1001 | CE | 96 tests |
| CYTOMEGALOVIRUS ELISA IgG (includes calibrators) | G1004 | CE ₀₃₁₈ | 96 tests |
| CYTOMEGALOVIRUS ELISA IgM CAPTURE | M1004 | CE ₀₃₁₈ | 96 tests |
| DENGUE ELISA IgG | G1018 | CE | 96 tests |
| DENGUE ELISA IgM CAPTURE | M1018 | CE | 96 tests |
| EPSTEIN-BARR EA ELISA IgG | G1205 | CE | 96 tests |
| EPSTEIN-BARR EBNA ELISA IgG | G1105 | CE | 96 tests |
| EPSTEIN-BARR VCA ELISA IgG | G1005 | CE | 96 tests |
| EPSTEIN-BARR VCA ELISA IgM | M1005 | CE | 96 tests |
| HELICOBACTER PYLORI ELISA IgA (includes calibrators) | A1022 | CE | 96 tests |
| HELICOBACTER PYLORI ELISA IgG (includes calibrators) | G1022 | CE | 96 tests |
| HERPES SIMPLEX 1 ELISA IgG/IgM (gG1 recombinant) | G/M1012 | CE | 96 tests |

| DESCRIPTION | CAT. No. | CLASS | PACK SIZE |
|---|----------|--------------------|-----------|
| HERPES SIMPLEX 2 ELISA IgG/IgM (gG2 purified) | G/M1013 | CE | 96 tests |
| HERPES SIMPLEX 1+2 ELISA IgG/IgM | G/M1016 | CE | 96 tests |
| HYDATIDOSIS ELISA IgG | G1006 | CE | 96 tests |
| INFLUENZA A ELISA IgG/IgM | G/M1007 | CE | 96 tests |
| INFLUENZA B ELISA IgG/IgM | G/M1008 | CE | 96 tests |
| LEGIONELLA PNEUMOPHILA SG 1 ELISA IgG | G1000 | CE | 96 tests |
| LEGIONELLA PNEUMOPHILA SG 1 ELISA IgM | M1000 | CE | 96 tests |
| LEGIONELLA PNEUMOPHILA SG 1-6 ELISA IgG+IgM | T1001 | CE | 96 tests |
| LEISHMANIA ELISA IgG+IgM | T1000 | CE | 96 tests |
| LEPTOSPIRA ELISA IgM | M1003 | CE | 96 tests |
| MEASLES ELISA IgG/IgM | G/M1001 | CE | 96 tests |
| MUMPS ELISA IgG/IgM | G/M1014 | CE | 96 tests |
| MYCOPLASMA PNEUMONIAE ELISA IgG | G1002 | CE | 96 tests |
| MYCOPLASMA PNEUMONIAE ELISA IgG/IgM | G/M1015 | CE | 96 tests |
| MYCOPLASMA PNEUMONIAE ELISA IgM | M1002 | CE | 96 tests |
| PARAINFLUENZA 1 ELISA IgG/IgM | G/M1009 | CE | 96 tests |
| PARAINFLUENZA 2 ELISA IgG/IgM | G/M1010 | CE | 96 tests |
| PARAINFLUENZA 3 ELISA IgG/IgM | G/M1011 | CE | 96 tests |
| PARVOVIRUS ELISA IgG | G1031 | CE | 96 tests |
| PARVOVIRUS ELISA IgM CAPTURE | M1031 | CE | 96 tests |
| RESPIRATORY SYNCYTIAL VIRUS ELISA IgG/IgM | G/M1006 | CE | 96 tests |
| RICKETTSIA CONORII ELISA IgG/IgM | G/M1005 | CE | 96 tests |
| ROSS RIVER VIRUS ELISA IgG | G1011 | CE | 96 tests |
| ROSS RIVER VIRUS ELISA IgM | M1011 | CE | 96 tests |
| RUBELLA ELISA IgG (includes calibrators) | G1026 | CE ₀₃₁₈ | 96 tests |
| RUBELLA ELISA IgM CAPTURE | M1026 | CE ₀₃₁₈ | 96 tests |
| SYPHILIS ELISA IgG | G1060 | CE | 96 tests |
| SYPHILIS ELISA IgG+IgM | T1060 | CE | 96 tests |
| TETANUS ELISA IgG (includes calibrators) | G1008 | CE | 96 tests |
| TOXOPLASMA ELISA IgG (includes calibrators) | G1027 | CE ₀₃₁₈ | 96 tests |
| TOXOPLASMA ELISA IgM CAPTURE | M1027 | CE ₀₃₁₈ | 96 tests |
| VARICELLA-ZOSTER ELISA IgG/IgM | G/M1002 | CE | 96 tests |
| ZIKA ELISA IgG | G1023 | CE | 96 tests |
| ZIKA ELISA IgM | M1023 | CE | 96 tests |

OTHER ELISA PRODUCTS

| DESCRIPTION | CAT. No. | CLASS | PACK SIZE |
|---|----------|---------|-------------|
| ELISA SORBENT (2 x 1.2 ml) | S001 | CE IVDR | 92 tests |
| ELISA SORBENT (100 ml) | S001-100 | CE IVDR | 4,000 tests |
| SERUM DILUENT FOR ELISA KITS (500 ml) | B0003 | CE IVDR | 5,000 tests |
| WASH BUFFER FOR ELISA KITS (500 ml 20x) | B0001 | CE IVDR | 3,000 tests |

IFA

INDIRECT IMMUNOFLUORESCENCE ASSAYS

- Single and Multitest kits available.
- Comprehensive panel of products widely recognized in scientific literature.
- Complete kits with ready-to-use reagents.
- Fully coated separated wells to facilitate the reading of the results.



SINGLE TESTS

| DESCRIPTION | CAT. No. | CLASS | PACK SIZE |
|--|------------|--------------------|-----------|
| BARTONELLA HENSELAE & QUINTANA IFA IgG | PBAHQG | CE | 100 tests |
| BARTONELLA HENSELAE & QUINTANA IFA IgM | PBAHQM | CE | 100 tests |
| CHAGAS IFA IgG+IgM | PCHAG | CE | 100 tests |
| CHLAMYDOPHILA PNEUMONIAE IFA IgG | PCHPNG | CE ₀₃₁₈ | 100 tests |
| CHLAMYDOPHILA PNEUMONIAE IFA IgM | PCHPNM | CE ₀₃₁₈ | 100 tests |
| CHLAMYDOPHILA PNEUMONIAE IFA SLIDE | SCHPN | CE ₀₃₁₈ | 100 tests |
| COXIELLA BURNETII IFA IgG | PCOBUG | CE | 100 tests |
| COXIELLA BURNETII IFA IgM | PCOBUM | CE | 100 tests |
| COXIELLA BURNETII I+II IFA IgG/IgM/IgA | PCOBU I+II | CE | 100 tests |
| COXIELLA BURNETII IFA SLIDE | SCOBU | CE | 100 tests |
| INVASIVE CANDIDIASIS (CAGTA) IFA IgG | PCAALG | CE | 50 tests |
| LEGIONELLA PNEUMOPHILA IFA IgG | PLEPNG | CE | 100 tests |
| LEGIONELLA PNEUMOPHILA IFA IgM | PLEPNM | CE | 100 tests |
| LEGIONELLA PNEUMOPHILA SG 1-6 IFA IgG | PLESXG | CE | 100 tests |
| LEGIONELLA SP IFA IgG | PLESPG | CE | 100 tests |
| LEISHMANIA IFA IgG | PLEDOG | CE | 100 tests |
| LEISHMANIA IFA SLIDE | SLEDO | CE | 100 tests |
| MYCOPLASMA PNEUMONIAE IFA IgG | PMYPNG | CE | 100 tests |
| MYCOPLASMA PNEUMONIAE IFA IgM | PMYPNM | CE | 100 tests |
| RICKETTSIA CONORII IFA IgG | PRICOG | CE | 100 tests |
| RICKETTSIA CONORII IFA IgM | PRICOM | CE | 100 tests |
| RICKETTSIA CONORII IFA SLIDE | SRICO | CE | 100 tests |
| RICKETTSIA TYPHI IFA IgG | PRITYG | CE | 100 tests |
| RICKETTSIA TYPHI IFA IgM | PRITYM | CE | 100 tests |

MULTITESTS

| DESCRIPTION | CAT. No. | CLASS | PACK SIZE |
|--|----------|--------------------|-----------|
| PNEUMOBACT <i>L. pneumophila</i> sg 1, <i>M. pneumoniae</i> , <i>C. burnetii</i> , <i>C. pneumoniae</i> and <i>C. psittaci</i> | NBACT | CE ₀₃₁₈ | 20 tests |
| PNEUMOSLIDE IgG <i>L. pneumophila</i> sg 1, <i>M. pneumoniae</i> , <i>C. burnetii</i> , <i>C. pneumoniae</i> , adenovirus, respiratory syncytial virus, influenza A, influenza B, parainfluenza 1, 2 and 3 and cell control | NSLIDEG | CE ₀₃₁₈ | 20 tests |
| PNEUMOSLIDE IgM <i>L. pneumophila</i> sg 1, <i>M. pneumoniae</i> , <i>C. burnetii</i> , <i>C. pneumoniae</i> , adenovirus, respiratory syncytial virus, influenza A, influenza B, parainfluenza 1, 2 and 3 and cell control | NSLIDEM | CE ₀₃₁₈ | 10 tests |

OTHER IFA PRODUCTS

| DESCRIPTION | CAT. No. | CLASS | PACK SIZE |
|-------------|----------|---------|-------------|
| IFA SORBENT | S002 | CE IVDR | 100 tests |
| IFA SORBENT | S002-100 | CE IVDR | 4,000 tests |

DFA

DIRECT IMMUNOFLUORESCENCE ASSAYS

- Antigen detection in cell culture and clinical samples.
Single and Multitest kits available.
- Staining kits contain monoclonal antibodies, PBS, mounting medium and controls.



SINGLE TESTS

| DESCRIPTION | CAT. No. | CLASS | PACK SIZE |
|---------------------|----------|-------|-----------|
| CYTOMEGALOVIRUS MAb | ACCMV | RUO | 80 tests |

MULTITEST AND INDIVIDUAL COMPONENTS

| DESCRIPTION | CAT. No. | CLASS | PACK SIZE |
|---|----------|-------|----------------|
| RESPIRATORY VIRAL SCREENING & IDENTIFICATION MAb | ACRESI | CE | 250 / 50 tests |
| VIRAL SCREENING FITC-MAb | SFMRVS | CE | 250 tests |
| ADENOVIRUS IDENTIFICATION FITC-MAb | IFMADV | CE | 50 tests |
| INFLUENZA A IDENTIFICATION FITC-MAb | IFMINFA | CE | 50 tests |
| INFLUENZA B IDENTIFICATION FITC-MAb | IFMINFB | CE | 50 tests |
| PARAINFLUENZA 1 IDENTIFICATION FITC-MAb | IFMPIV1 | CE | 50 tests |
| PARAINFLUENZA 2 IDENTIFICATION FITC-MAb | IFMPIV2 | CE | 50 tests |
| PARAINFLUENZA 3 IDENTIFICATION FITC-MAb | IFMPIV3 | CE | 50 tests |
| RESPIRATORY SYNCYTIAL VIRUS IDENTIFICATION FITC-MAb | IFMRSV | CE | 50 tests |

Agglutination

BRUCELLACAPT®

- Single-step immunocapture assay for the detection of total anti-Brucella antibodies.
- Especially recommended for the diagnosis of chronic brucellosis and treatment follow-up.
- The highest sensitivity and specificity recognized in international scientific literature.



ROSE BENGAL

- Rapid card test for the detection of agglutinating anti-Brucella antibodies in human serum.
- Widely used as a screening test.



| DESCRIPTION | CAT. No. | CLASS | PACK SIZE |
|-------------------------------------|----------|---------|-------------|
| BRUCELLACAPT® (screening/titration) | BRUCAPT | CE | 96/24 tests |
| SERUM DILUENT FOR BRUCELLACAPT® | B0002 | CE IVDR | 500 ml |
| ROSE BENGAL | RB001 | CE | 125 tests |

VIRapid®

IMMUNOCHROMATOGRAPHIC TESTS

- Rapid detection with visual or automatic reading in just a few minutes.
- Specific and highly purified antigens or antibodies in both conjugates and lines.
- Product control line included in each device.



| DESCRIPTION | CAT. No. | CLASS | PACK SIZE |
|---|----------|-------|-----------|
| VIRAPID® HYDATIDOSIS Detection of <i>Echinococcus granulosus</i> total antibodies | VR004 | CE | 25 tests |
| VIRAPID® LEGIONELLA CULTURE Detection and identification of <i>Legionella</i> sp., <i>L. pneumophila</i> sg 1 and <i>L. pneumophila</i> sg 1-15 in samples from bacterial cultures | VR002 | CE | 25 tests |
| VIRAPID® MONO M&G Detection of the 4 main serological markers for the EBV infectious mononucleosis (PB HA, VCA IgM, VCA IgG, EBNA IgG) | VR001 | CE | 25 tests |
| VIRAPID® TULAREMIA Detection of <i>Francisella tularensis</i> total antibodies | VR006 | CE | 10 tests |

Transport Medium

FOR THE COLLECTION AND PRESERVATION OF VIRUSES, CHLAMYDIA AND MYCOPLASMA

- Versatile medium, valid for different types of samples, microorganisms and diagnostic methods.
- Avoids drying up of the sample.
- Improves microorganisms viability between collection and inoculation.
- Decreases bacterial overgrowth in contaminated samples.
- Successfully used for molecular-based assays.



| DESCRIPTION | CAT. No. | CLASS | TUBE SIZE | VOLUME | SAMPLE COLLECTION DEVICE | PACK SIZE |
|--------------------|----------|---------|------------------|--------|---|-----------|
| TRANSPORT MEDIUM | TM018 | CE IVDR | 16x100 mm tube | 2 ml | 1 sterile mini tip flocked swab | 50 units |
| TRANSPORT MEDIUM | TM014 | CE IVDR | 16x100 mm tube | 2 ml | 1 sterile nylon microfiber swab | 50 units |
| TRANSPORT MEDIUM | TM016 | CE IVDR | 16x100 mm tube | 3 ml | 1 sterile nylon microfiber swab | 50 units |
| TRANSPORT MEDIUM | TM020 | CE IVDR | 16x100 mm tube | 2 ml | 2 sterile swabs (nylon microfiber, mini tip flocked) | 50 units |
| TRANSPORT MEDIUM | TM010 | CE IVDR | 16x100 mm tube | 2 ml | 2 sterile swabs (nylon microfiber, rayon) | 50 units |
| TRANSPORT MEDIUM | TM022 | CE IVDR | 16x100 mm tube | 3 ml | 2 sterile swabs (nylon microfiber, rayon) | 50 units |
| TRANSPORT MEDIUM | TM021 | CE IVDR | 16x100 mm tube | 3 ml | no swab included | 50 units |
| TRANSPORT MEDIUM | TM003 | CE IVDR | 16.5x57 mm tube | 2 ml | 1 sterile dacron swab | 50 units |
| TRANSPORT MEDIUM | TM006 | CE IVDR | 16.5x57 mm tube | 2 ml | 2 sterile dacron swabs | 50 units |
| TRANSPORT MEDIUM | TM012 | CE IVDR | 16.5x57 mm tube | 2 ml | 1 sterile nylon microfiber swab | 50 units |
| TRANSPORT MEDIUM | TM008 | CE IVDR | 16.5x57 mm tube | 3 ml | 1 sterile nylon microfiber swab | 50 units |
| TRANSPORT MEDIUM | TM011 | CE IVDR | 16.5x57 mm tube | 2 ml | 1 sterile rayon swab | 50 units |
| TRANSPORT MEDIUM | TM001 | CE IVDR | 16.5x57 mm tube | 2 ml | 2 sterile rayon swabs | 50 units |
| TRANSPORT MEDIUM | TM005 | CE IVDR | 16.5x57 mm tube | 2 ml | no swab included | 50 units |
| TRANSPORT MEDIUM | TM002 | CE IVDR | 16.5x57 mm tube | 3 ml | no swab included | 50 units |
| TRANSPORT MEDIUM-2 | TM015 | CE IVDR | 53x108 mm bottle | 100 ml | no swab included | 1 unit |
| TRANSPORT MEDIUM-2 | TM015 | CE IVDR | 16x100 mm tube | 1 ml | 1 saliva collection device | 50 units |

* Note that some of these references are subject to a minimum order requirement.

Cell Lines

ACCESSIBLE CELL CULTURE FOR HUMAN CLINICAL VIROLOGY

- Ready-to-use (shell-vial and tubes) and bulk (flasks and suspensions) presentations.
- Consistent quality. Fresh cells.
- Complementary products available: monoclonal antibodies and transport media.
- Pack size: Shell vials (24 units), tubes (24 units), suspension (1 unit) and flask (75 cm²)



LABORATORY MATERIAL

| Cell Lines | Shell Vials | Tube | Suspension | Flask |
|--------------------------------|-------------|------|------------|-------|
| A549 CELL LINE | VSA5 | VTA5 | SA5 | FTA5 |
| B95-8 CELL LINE* | | | | FTB95 |
| BGM CELL LINE* | VSBG | | | FTBG |
| BHK-21 CELL LINE | | | | FTBH |
| HEp-2 CELL LINE | VSHE | VTHE | | FTHE |
| L-929 CELL LINE | | | | FTL9 |
| LLC-MK ₂ CELL LINE* | VSLL | VTLL | | FTLL |
| McCoy CELL LINE | VSMC | | | FTMC |
| MDCK CELL LINE | VSMD | VTMD | SMD | FTMD |
| MDCK-SIAT1 CELL LINE | | | | FTMS |
| MRC-5 CELL LINE | VSMR | VTMR | SMR | FTMR |
| RD CELL LINE | VSRD | VTRD | | FTRD |
| VERO CELL LINE* | VSVE | VTVE | SVE | FTVE |
| VERO E6 CELL LINE* | VSV6 | VTV6 | | FTV6 |

* Note that some of these references are subject to a minimum order requirement.

Ordering Information

Placing orders

When ordering, please specify:

- Company name
- Ship to and bill to address
- Product catalogue number and description
- Unit size and quantity
- Special shipping conditions, if any

Free samples policy

Samples are available free of charge for testing purposes. Please contact your Area Manager to ask for our sample request form.

Order cancellation

Requests for cancellation should be submitted one week in advance for cell culture products. For the rest of the product lines, three days advanced notice is required.

Terms and Conditions

Prices

The product price shall be as specified in our current price list on the date of the order. We reserve the right to revise our prices at any time with a minimum of 1 month prior notice. Unless stated otherwise in writing, all prices are ex-works.

Technical Support

For technical assistance and product information, please visit our website or contact our Technical Service Department at customerservice@vircell.com

We strive to answer all emails within 24 hours, and most are answered in substantially less time.

Instructions For Use

These documents are available in digital format (eIFU) on our website. You can download them on any device, which only requires an Internet connection and software compatible with a PDF format, such as Adobe Acrobat Reader®





PME005-10/24

Vircell, S.L.
Parque Tecnológico de la Salud
Avicena 8
18016 Granada, Spain
Tel: +34 958 441 264
Email: info@vircell.com
www.vircell.com



Information correct at time of print. Product availability may vary from country to country, please contact your Vircell representative for information.
Products may be for Research Use Only and not for use in diagnostic procedures in the USA and Canada.